

**Department of Computer Science**

**"SELF STUDY MODULE"**

**Module Details :**

- **Class - 4<sup>th</sup> Semester (2019-20) Admission Batch**
  - **Subject Name : COMPUTER SCIENCE**
  - **Paper Name : OPERATING SYSTEM**
- 

**UNIT – 2 : STRUCTURE**

- 2.1 Introduction to Operating System
- 2.2 Process Management: Process Concept , Operation On Process
- 2.3 Process Scheduling and Algorithm
- 2.4 Inter Process Communication
- 2.5 Concept of Thread and Process
- 2.6 Deadlocks: Deadlocks detection
- 2.7 Deadlocks Prevention
- 2.8 Deadlocks avoidance fundamental

**Learning Objective**

After Learning this unit you should be able to

- Know the Binary Basic concept of Operating System
- Know the Process management
- Process Scheduling and Algorithm
- Concept of Thread and Process
- Deadlocks Detection Prevention etc...

**You Can use the Following Learning Video link related to above topic :**

- <https://youtu.be/WJ-UaAumNA>
- <https://youtu.be/aytWaG4mEJI>
- [https://youtu.be/pg20G\\_xLV-Y](https://youtu.be/pg20G_xLV-Y)
- <https://youtu.be/2dJdHMPCLlg>
- <https://youtu.be/ITc09gOrqZk>
- <https://youtu.be/rWFH6PLOIEI>

**You Can also use the following Books :**

- " **Operating System Concepts**" by Avi Silberschatz and Peter Galvin. ...
- " **Operating Systems: Internals and Design Principles**" by William Stallings. ...
- " **Operating Systems: A Concept-Based Approach**" by D M Dhamdhere. ...
- " **Operating System: A Design-oriented Approach**" by Charles Crowley. ...

**And also you can download any book in free by using the following website.**

- <https://www.pdfdrive.com/>

# UNIT -2

## OPERATING SYSTEM

### Process Management in OS

A Program does nothing unless its instructions are executed by a CPU. A program in execution is called a process. In order to accomplish its task, process needs the computer resources.

There may exist more than one process in the system which may require the same resource at the same time. Therefore, the operating system has to manage all the processes and the resources in a convenient and efficient way.

Some resources may need to be executed by one process at one time to maintain the consistency otherwise the system can become inconsistent and deadlock may occur.

The operating system is responsible for the following activities in connection with Process Management

1. Scheduling processes and threads on the CPUs.
2. Creating and deleting both user and system processes.
3. Suspending and resuming processes.
4. Providing mechanisms for process synchronization.
5. Providing mechanisms for process communication.

### Attributes of a process

The Attributes of the process are used by the Operating System to create the process control block (PCB) for each of them. This is also called context of the process. Attributes which are stored in the PCB are described below.

#### 1. Process ID

When a process is created, a unique id is assigned to the process which is used for unique identification of the process in the system.

#### 2. Program counter

A program counter stores the address of the last instruction of the process on which the process was suspended. The CPU uses this address when the execution of this process is resumed.

#### 3. Process State

The Process, from its creation to the completion, goes through various states which are new, ready, running and waiting. We will discuss about them later in detail.

#### 4. Priority

Every process has its own priority. The process with the highest priority among the processes gets the CPU first. This is also stored on the process control block.

#### 5. General Purpose Registers


Every process has its own set of registers which are used to hold the data which is generated during the execution of the process.

#### 6. List of open files

During the Execution, Every process uses some files which need to be present in the main memory. OS also maintains a list of open files in the PCB.

# Process States

State Diagram



The process, from its creation various states. The minimum number of states is five.

to completion, passes through

The names of the states are not standardized although the process may be in one of the following states during execution.

## 1. New

A program which is going to be picked up by the OS into the main memory is called a new process.

## 2. Ready

Whenever a process is created, it directly enters in the ready state, in which, it waits for the CPU to be assigned. The OS picks the new processes from the secondary memory and put all of them in the main memory.

The processes which are ready for the execution and reside in the main memory are called ready state processes. There can be many processes present in the ready state.

## 3. Running

One of the processes from the ready state will be chosen by the OS depending upon the scheduling algorithm. Hence, if we have only one CPU in our system, the number of running processes for a particular time will always be one. If we have  $n$  processors in the system then we can have  $n$  processes running simultaneously.

## 4. Block or wait

From the Running state, a process can make the transition to the block or wait state depending upon the scheduling algorithm or the intrinsic behavior of the process.

When a process waits for a certain resource to be assigned or for the input from the user then the OS move this process to the block or wait state and assigns the CPU to the other processes.

## 5. Completion or termination

When a process finishes its execution, it comes in the termination state. All the context of the process (Process Control Block) will also be deleted the process will be terminated by the Operating system.

## 6. Suspend ready

A process in the ready state, which is moved to secondary memory from the main memory due to lack of the resources (mainly primary memory) is called in the suspend ready state.

If the main memory is full and a higher priority process comes for the execution then the OS have to make the room for the process in the main memory by throwing the lower priority process out into the secondary memory. The suspend ready processes remain in the secondary memory until the main memory gets available.

## 7. Suspend wait

Instead of removing the process from the ready queue, it's better to remove the blocked process which is waiting for some resources in the main memory. Since it is already waiting for some resource to get available hence it is better if it waits in the secondary memory and make room for the higher priority process. These processes complete their execution once the main memory gets available and their wait is finished.



# Operations on the Process

## 1. Creation

Once the process is created, it will be ready and come into the ready queue (main memory) and will be ready for the execution.

## 2. Scheduling

Out of the many processes present in the ready queue, the Operating system chooses one process and start executing it. Selecting the process which is to be executed next, is known as scheduling.

## 3. Execution

Once the process is scheduled for the execution, the processor starts executing it. Process may come to the blocked or wait state during the execution then in that case the processor starts executing the other processes.

## 4. Deletion/killing

Once the purpose of the process gets over then the OS will kill the process. The Context of the process (PCB) will be deleted and the process gets terminated by the Operating system.

### Process Schedulers

Operating system uses various schedulers for the process scheduling described below.

#### 1. Long term scheduler

Long term scheduler is also known as job scheduler. It chooses the processes from the pool (secondary memory) and keeps them in the ready queue maintained in the primary memory.

Long Term scheduler mainly controls the degree of Multiprogramming. The purpose of long term scheduler is to choose a perfect mix of IO bound and CPU bound processes among the jobs present in the pool.

If the job scheduler chooses more IO bound processes then all of the jobs may reside in the blocked state all the time and the CPU will remain idle most of the time. This will reduce the degree of Multiprogramming. Therefore, the Job of long term scheduler is very critical and may affect the system for a very long time.

#### 2. Short term scheduler

Short term scheduler is also known as CPU scheduler. It selects one of the Jobs from the ready queue and dispatch to the CPU for the execution.

A scheduling algorithm is used to select which job is going to be dispatched for the execution. The Job of the short term scheduler can be very critical in the sense that if it selects job whose CPU burst time is very high then all the jobs after that, will have to wait in the ready queue for a very long time.

This problem is called starvation which may arise if the short term scheduler makes some mistakes while selecting the job.

#### 3. Medium term scheduler


Medium term scheduler takes care of the swapped out processes. If the running state processes needs some IO time for the completion then there is a need to change its state from running to waiting.

Medium term scheduler is used for this purpose. It removes the process from the running state to make room for the other processes. Such processes are the swapped out processes and this procedure is called swapping. The medium term scheduler is responsible for suspending and resuming the processes.

It reduces the degree of multiprogramming. The swapping is necessary to have a perfect mix of processes in the ready queue.

### Process Queues

The Operating system manages various types of queues for each of the process states. The PCB related to the process is also stored in the queue of the same state. If the Process is moved from one state to another state then its PCB is also unlinked from the corresponding queue and added to the other state queue in which the transition is made.



There are the following queues maintained by the Operating system.

### 1. Job Queue

In starting, all the processes get stored in the job queue. It is maintained in the secondary memory. The long term scheduler (Job scheduler) picks some of the jobs and put them in the primary memory.

### 2. Ready Queue

Ready queue is maintained in primary memory. The short term scheduler picks the job from the ready queue and dispatch to the CPU for the execution.

### 3. Waiting Queue

When the process needs some IO operation in order to complete its execution, OS changes the state of the process from running to waiting. The context (PCB) associated with the process gets stored on the waiting queue which will be used by the Processor when the process finishes the IO.

### CPU Scheduling

**In the uniprogramming systems** like MS DOS, when a process waits for any I/O operation to be done, the CPU remains idle. This is an overhead since it wastes the time and causes the problem of starvation. However, In Multiprogramming systems, the CPU doesn't remain idle during the waiting time of the Process and it starts executing other processes. Operating System has to define which process the CPU will be given.

**In Multiprogramming systems**, the Operating system schedules the processes on the CPU to have the maximum utilization of it and this procedure is called **CPU scheduling**. The Operating System uses various scheduling algorithm to schedule the processes.

This is a task of the short term scheduler to schedule the CPU for the number of processes present in the Job Pool. Whenever the running process requests some IO operation then the short term scheduler saves the current context of the process (also called PCB) and changes its state from running to waiting. During the time, process is in waiting state; the Short term scheduler picks another process from the ready queue and assigns the CPU to this process. This procedure is called **context switching**.

## What is saved in the Process Control Block?

The Operating system maintains a process control block during the lifetime of the process. The Process control block is deleted when the process is terminated or killed. There is the following information which is saved in the process control block and is changing with the state of the process.

Process ID
Process State
Pointer
Priority
Program Counter
CPU Registers
I/O Information
Accounting Information
etc.

### Why do we need Scheduling?

In Multiprogramming, if the long term scheduler picks more I/O bound processes then most of the time, the CPU remains idle. The task of Operating system is to optimize the utilization of resources.

If most of the running processes change their state from running to waiting then there may always be a possibility of deadlock in the system. Hence to reduce this overhead, the OS needs to schedule the jobs to get the optimal utilization of CPU and to avoid the possibility to deadlock

### Paging with Example

In Operating Systems, Paging is a storage mechanism used to retrieve processes from the secondary storage into the main memory in the form of pages.


The main idea behind the paging is to divide each process in the form of pages. The main memory will also be divided in the form of frames.

One page of the process is to be stored in one of the frames of the memory. The pages can be stored at the different locations of the memory but the priority is always to find the contiguous frames or holes.

Pages of the process are brought into the main memory only when they are required otherwise they reside in the secondary storage.

Different operating system defines different frame sizes. The sizes of each frame must be equal. Considering the fact that the pages are mapped to the frames in Paging, page size needs to be as same as frame size.






### Example

Let us consider the main memory size 16 Kb and Frame size is 1 KB therefore the main memory will be divided into the collection of 16 frames of 1 KB each.

There are 4 processes in the system that is P1, P2, P3 and P4 of 4 KB each. Each process is divided into pages of 1 KB each so that one page can be stored in one frame.

Initially, all the frames are empty therefore pages of the processes will get stored in the contiguous way.

Frames, pages and the mapping between the two is shown in the image below.




### Paging

Let us consider that, P2 and P4 are moved to waiting state after some time. Now, 8 frames become empty and therefore other pages can be loaded in that empty place. The process P5 of size 8 KB (8 pages) is waiting inside the ready queue.

Given the fact that, we have 8 non contiguous frames available in the memory and paging provides the flexibility of storing the process at the different places. Therefore, we can load the pages of process P5 in the place of P2 and P4.





## Paging

### Memory Management Unit

The purpose of Memory Management Unit (MMU) is to convert the logical address into the physical address. The logical address is the address generated by the CPU for every page while the physical address is the actual address of the frame where each page will be stored.

When a page is to be accessed by the CPU by using the logical address, the operating system needs to obtain the physical address to access that page physically.

The logical address has two parts.

1. Page Number
2. Offset

### Demand Paging

According to the concept of Virtual Memory, in order to execute some process, only a part of the process needs to be present in the main memory which means that only a few pages will only be present in the main memory at any time.

However, deciding, which pages need to be kept in the main memory and which need to be kept in the secondary memory, is going to be difficult because we cannot say in advance that a process will require a particular page at particular time.

Therefore, to overcome this problem, there is a concept called Demand Paging is introduced. It suggests keeping all pages of the frames in the secondary memory until they are required. In other words, it says that do not load any page in the main memory until it is required.

Whenever any page is referred for the first time in the main memory, then that page will be found in the secondary memory.

After that, it may or may not be present in the main memory depending upon the page replacement algorithm which will be covered later in this tutorial.

### **What is a Page Fault?**

If the referred page is not present in the main memory then there will be a miss and the concept is called Page miss or page fault.

The CPU has to access the missed page from the secondary memory. If the number of page fault is very high then the effective access time of the system will become very high.

### **What is Thrashing?**

If the number of page faults is equal to the number of referred pages or the number of page faults are so high so that the CPU remains busy in just reading the pages from the secondary memory then the effective access time will be the time taken by the CPU to read one word from the secondary memory and it will be so high. The concept is called thrashing.

If the page fault rate is PF %, the time taken in getting a page from the secondary memory and again restarting is S (service time) and the memory access time is ma then the effective access time can be given as;

1.  $EAT = PF \times S + (1 - PF) \times (ma)$